Thin Solid Films, *184* (1990) v–ix

Contents

DOPING

Boron doping using compound source 1
T. Tatsumi (Kawasaki, Japan)

P-type delta doping in silicon MBE. 15
N. L. Mattey, M. Hopkinson, R. F. Houghton, M. G. Dowsett, D. S. McPhail, T. E. Whall, E. H. C. Parker (Coventry, U.K.), G. R. Booker and J. Whitehurst (Oxford, U.K.)

Modulation-doped superlattices with delta layers in silicon 21
H. P. Zeindl, T. Wegehaupt and I. Eisele (Neubiberg, F.R.G.)

Maximum boron doping concentrations without oxygen incorporation for silicon molecular beam epitaxy using HBO_2 and B_2O_3 as dopant sources . . . 31
T. L. Lin, R. W. Fathauer and P. J. Grunthaner (Pasadena, CA, U.S.A.)

Steep doping profiles obtained by low-energy implantation of arsenic in silicon MBE layers 37
N. Djebbar, J. Gutierrez, H. Charki, A. Vapaille (Orsay, France), G. Prudon and J. C. Dupuy (Villeurbanne, France)

Determination of the depth distribution of carriers in silicon molecular beam epitaxially grown material by electrochemical capacitance–voltage measurements 47
S. Kechang, J.-M. Baribeau, D. C. Houghton and J. A. Jackman (Ottawa, Ontario, Canada)

Characterization of shallow donor-doped silicon molecular beam epitaxial layers by electron spin resonance 55
J. Dirksmeyer and O. F. Schirmer (Osnabrück, F.R.G.)

Incorporation probabilities and depth distributions of aluminium co-evaporated during Si(100) molecular beam epitaxy 61
M.-A. Hasan, J.-E. Sundgren, G. V. Hansson (Linkoping, Sweden), L. C. Markert and J. E. Greene (Urbana, IL, U.S.A.)

Effect of growth temperature on photoluminescence from ion-beam-doped molecular beam epitaxial Si:As 69
N. L. Rowell, D. C. Houghton (Ottawa, Ontario, Canada), J.-P. Noël and J. E. Greene (Urbana, IL, U.S.A.)

Gallium doping of silicon molecular beam epitaxial layers at low temperatures and under Si^+ ion bombardment 75
F. Schäffler and H. Jorke (Ulm, F.R.G.)

Coverage measurement in the submonolayer range by *in situ* ellipsometry . . 85
S. Andrieu, F. Beck and F. Arnaud D'Avitaya (Rueil-Malmaison, France)

ALTERNATIVE GROWTH METHODS

Limited reaction processing: growth of $Si_{1-x}Ge_x$/Si for heterojunction bipolar transistor applications. 93
J. L. Hoyt, C. A. King, D. B. Noble, C. M. Gronet, J. F. Gibbons (Stanford, CA, U.S.A.), M. P. Scott, S. S. Laderman, S. J. Rosner, K. Nauka, J. Turner and T. I. Kamins (Palo Alto, CA, U.S.A.)

High gain Si–Ge heterojunction bipolar transistors grown by rapid thermal chemical vapor deposition 107
M. L. Green, D. Brasen, H. Temkin, R. D. Yadvish, T. Boone, L. C. Feldman, M. Geva and B. E. Spear (Murray Hill, NJ, U.S.A.)

Epitaxial growth of single-crystal $Si_{1-x}Ge_x$ on Si(100) by ion beam sputter deposition 117
F. Meyer, C. Schwebel, C. Pellet, G. Gautherin (Orsay, France), A. Buxbaum, M. Eizenberg (Haifa, Israel) and A. Raizman (Yavne, Israel)

Phosporus gas doping in gas source silicon-MBE. 125
H. Hirayama and T. Tatsumi (Kawasaki, Japan)

Electronic quality of vapour phase epitaxial Si grown at reduced temperature 131
W. Y. Leong, L. T. Canham, I. M. Young and D. J. Robbins (Great Malvern, U.K.)

In situ grown or solid phase recrystallized p-doped mono- and polysilicon by r.f. plasma CVD 139
K. Baert, P. Deschepper, H. Pattyn, A. Rodriguez, J. Nijs and R. Mertens (Heverlee, Belgium)

Photoemission study of low pressure hydrogen and disilane adsorption on Si(111)7 × 7 and Ge(111) 147
M. Alaoui, F. Ringeisen, D. Bolmont and J. J. Koulmann (Mulhouse, France)

DEVICES

Narrow band gap base heterojunction bipolar transistors using Si–Ge alloys . 153
S. S. Iyer, G. L. Patton, D. L. Harame, J. M. C. Stork, E. F. Crabbe and B. S. Meyerson (Yorktown Heights, NY, U.S.A.)

Boron doping of Si–Ge base of heterobipolar transistors. 163
H. Kibbel, E. Kasper, P. Narozny (Ulm, F.R.G.) and H.-U. Schreiber (Bochum, F.R.G.)

Infrared resonance excitation of δ-layers—a silicon-based infrared quantum-well detector 171
G. Tempel, N. Schwarz, F. Müller, F. Koch (Garching, F.R.G.). H. P. Zeindl and I. Eisele (Neubiberg, F.R.G.)

The p–n diode as a diagnostic tool for silicon molecular beam epitaxy 177
D. W. Smith, R. F. Houghton, E. H. C. Parker and T. E. Whall (Coventry, U.K.)

Silicon-based millimeter-wave integrated circuits 185
J.-F. Luy (Ulm, F.R.G.)

Numerical study of coherent tunnelling in a double-barrier structure 199
H. P. Joosten, H. J. M. F. Noteborn and D. Lenstra (Eindhoven, The Netherlands)

Performance and processing line integration of a silicon molecular beam epitaxy system 207
A. A. van Gorkum, G. F. A. van de Walle, R. A. van den Heuvel, D. J. Gravesteijn and C. W. Fredriksz (Eindhoven, The Netherlands)

Selective polycrystalline and epitaxial growth by silicon molecular beam epitaxy 221
C. J. Gibbings, J. R. Davis, M. Hockly and C. G. Tuppen (Ipswich, U.K.)

$Si/SiO_x/Si$ hole–barrier fabrication for bipolar transistors using molecular beam deposition. 229
T. Tatsumi, T. Niino, A. Sakai, H. Hirayama and F. Sato (Kawasaki, Japan)

Two-dimensional electron gas properties of symmetrically strained $Si/Si_{1-x}Ge_x$ quantum well structures. 237
H.-J. Herzog, H. Jorke and F. Schäffler (Ulm, F.R.G.)

IV–VI compounds on fluoride/silicon heterostructures and IR devices. 247
H. Zogg, J. Masek, C. Maissen, S. Blunier and H. Weibel (Zürich, Switzerland)

Differential molecular beam epitaxy for multilayered bipolar devices 253
U. König, M. Kuisl, J. F. Luy, H. Kibbel and F. Schäffler (Ulm, F.R.G.)

Mono- and polycrystalline silicon emitters for bipolar transistors grown by molecular beam epitaxy 261
A. A. van Gorkum, G. F. A. van de Walle, R. A. van den Heuvel, W. J. M. J. Josquin and J. van Dijk (Eindhoven, The Netherlands)

SILICIDES

Reflection high energy electron diffraction study of $CoSi_2/Si$ multilayer structures 269
Q. Ye, T. W. Kang, K. L. Wang (Los Angeles, CA, U.S.A.), G. Bai and M.-A. Nicolet (Pasadena, CA, U.S.A.)

Low temperature formation of Si/silicide/Si double heterostructures by self-aligned MBE growth 275
T. Ohsima, N. Nakamura, K. Nakagawa and M. Miyao (Tokyo, Japan)

Growth characterization and electrical properties of epitaxial erbium silicide . 283
F. Arnaud D'Avitaya, P.-A. Badoz, Y. Campidelli, J. A. Chroboczek, J.-Y. Duboz, A. Perio (Meylan, France) and J. Pierre (Grenoble, France)

Epitaxy of metal silicides 295
H. von Kanel, J. Henz, M. Ospelt, J. Hugi, E. Müller, N. Onda (Zürich, Switzerland) and A. Gruhle (Aachen, F.R.G.)

Reconstruction of hetero-interfaces in MBE: $CoSi_2$(001) on Si(001). 309
D. Loretto, J. M. Gibson and S. M. Yalisove (Murray Hill, NJ, U.S.A.)

Epitaxial growth of $CoSi_2$ on Si(100) 317
L. Haderbache, P. Wetzel, C. Pirri, J. C. Peruchetti, D. Bolmont and G. Gewinner (Mulhouse, France)

Epitaxial growth of $ErSi_2$ on (111)Si 325
F. H. Kaatz, M. P. Siegal, W. R. Graham, J. van der Spiegel and J. J. Santiago (Philadelphia, PA, U.S.A.)

Columnar growth of $CoSi_2$ on Si(111), Si(100) and Si(110) by molecular beam epitaxy 335
R. W. Fathauer, C. W. Nieh (Pasedena, CA, U.S.A.), Q. F. Xiao and S. Hashimoto (Albany, NY, U.S.A.)

Growth of $IrSi_3$ by molecular beam epitaxy 343
T. L. Lin, C. W. Nieh (Pasadena, CA, U.S.A.), S. Hashimoto and Q. F. Xiao (Albany, NY, U.S.A.)

High resolution electron microscopy study of the $ErSi_2$/Si(111) interface . . . 349
C. D'Anterroches, P. Perret, F. Arnaud D'Avitaya and J. A. Chroboczek (Meylan, France)

Surface morphology of $TiSi_2$ on silicon. 357
H. Jeon and R. J. Nemanich (Raleigh, NC, U.S.A.)

Quantum well states in a metal–semiconductor system: $CoSi_2$/Si(111) 365
L. Haderbache, P. Wetzel, C. Pirri, J. C. Peruchetti, D. Bolmont and G. Gewinner (Mulhouse, France)

OTHER MATERIAL SYSTEMS

Oxygen-doped and nitrogen-doped silicon films prepared by molecular beam epitaxy 373
M. Tabe, M. Takahashi, T. Ichimori and Y. Sakakibara (Atsugi, Japan)

MBE-grown germanium on sapphire(1102) 379
D. J. Godbey, S. B. Qadri, M. E. Twigg and E. D. Richmond (Washington, DC, U.S.A.)

Properties of lattice mismatched IIa-fluorides on silicon 387
S. Blunier, H. Zogg and A. Ruegge (Zürich, Switzerland)

Properties of diamond structure SnGe films grown by molecular beam epitaxy 395
A. Harwit, P. R. Pukite, J. Angilello and S. S. Iyer (Yorktown Heights, NY, U.S.A.)

Growth of oxygen-doped silicon epitaxial films by co-evaporation of silicon and SiO in a molecular beam epitaxial system 403
W.-X. Ni, G. Radnoczi and G. V. Hansson (Linköping, Sweden)

Low energy electron diffraction, Auger and energy loss spectroscopic study of the initial stages of growth by molecular beam epitaxy of GaAs on Si(211) substrates 415
L. Fotiadis and R. Kaplan (Washington, DC, U.S.A.)

Structure and chemical bonding at the interfaces GaAs/Si and GaAs/Ge . . . 423
P. V. Huong and A. Leycuras (Talence, France)

Structural characterization of AlGaAs/GaAs multiquantum-well structures grown on silicon. 429
B. Bartenlian, R. Bisaro, J.-P. Hirtz, M.-N. Charasasse, J. Chazelas and A. Rocher (Orsay, France)

Strain relief of large lattice mismatch heteroepitaxial films on silicon by tilting 437
L. J. Schowalter (Troy, NY, U.S.A.), E. L. Hall, N. Lewis (Schenectady, NY, U.S.A.) and S. Hashimoto (Albany, NY, U.S.A.)

Si-MBE: PROSPECTS AND CHALLENGES

Prospects and challenges for molecular beam epitaxy in silicon very-large-scale integration. 447
W. Eccleston (Liverpool, U.K.)

Prospects and challenges for Si–Ge strained-layer epitaxy 451
T. P. Pearsall (Murray Hill, NJ, U.S.A.)

AUTHOR INDEX 461